

EU Declaration of Conformity

EU-Konformitätserklärung

Déclaration UE de Conformité

No./ Nr./ N°. A5E50284620A/010

Manufacturer / Hersteller / Fabricant

Address / Anschrift / Adresse

Siemens AG

Östliche Rheinbrücken Straße 50, DE-76181 Karlsruhe

EU Importer / EU Importeur / Importeur UE

Address / Anschrift / Adresse

Siemens AG

Östliche Rheinbrücken Straße 50, DE-76181 Karlsruhe

Product identification

Produktbezeichnung / Identificateur

Passive Net Components

See Annex A / Siehe Anhang A / Voir Annexe A

**This declaration of conformity is issued under the sole responsibility of the manufacturer.
The object of the declaration described above is in conformity with the relevant harmonisation legislation and their amendments of the European Union, depending on the product variant used, as listed in the Annex A.**

**Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller.
Der oben beschriebene Gegenstand der Erklärung erfüllt die einschlägigen Harmonisierungsrechtsvorschriften und deren Ergänzungen der Europäischen Union, je nach Produktvariante, die im Anhang A gelistet ist:**

**La présente déclaration de conformité est établie sous la seule responsabilité du fabricant.
L'objet de la déclaration décrit ci-dessus est conforme à la législation d'harmonisation de l'Union européenne suivantes de leurs amendements applicables, selon la variante de produit figurant dans la liste de l'annexe A :**

RoHS – 2011/65/EC

Directive of the European Parliament and the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment. (OJ L 174, 1.7.2011)

Richtlinie des Europäischen Parlaments und des Rates zur Beschränkung der Verwendung bestimmter gefährlicher Stoffe in Elektro- und Elektronikgeräten. (ABl. L 174 vom 1.7.2011)

Directive du Parlement européen et du Conseil relative à la limitation de l'utilisation de certaines substances dangereuses dans les équipements électriques et électroniques.
(JO L 174 du 1.7.2011)

This declaration is an attestation of conformity with the indicated Directive(s) but does not imply any guarantee of quality or durability.
The safety instructions of the accompanying product documentation shall be observed.

*Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie.
Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.*

*Cette déclaration certifie la conformité aux directives susmentionnées, mais ne constitue pas une garantie de qualité ou de durabilité.
Les consignes de sécurité figurant dans la documentation fournie avec le produit doivent être respectées.*

EU Declaration of Conformity EU-Konformitätserklärung

Déclaration UE de Conformité

No./ Nr./ N°. A5E50284620A/010

Further information about the conformity to this Directive(s) is given in the Annex, which is an integral part of this declaration of conformity.

Weitere Angaben über die Einhaltung dieser Richtlinie(n) enthält der Anhang, der ein integraler Bestandteil dieser Konformitätserklärung ist.

De plus amples informations sur la conformité à cette (ces) directive(s) sont disponibles dans l'annexe, qui fait partie intégrale de la présente déclaration de conformité.

Signed for and on behalf of:

Unterzeichnet für und im Namen von: / Signé par et au nom de :

Siemens Aktiengesellschaft

Karlsruhe, 07.05.2026

i.V. Martin Ober,

Research & Development, DI PA DCP R&D
Entwicklung / Recherche & Développement


Digitally signed by Ober Martin
DN: cn=Ober Martin, c=DE,
o=Siemens,
email=martin.ober@siemens.com
Date: 2026.05.08 10:03:24
+02'00'

Signature

Unterschrift / Signature

i.V. Alexander Teufel,

Head of Business Line, DI PA DCP IWA
Leiter des Geschäftsbereichs / Chef de la ligne de produits

**Teufel
Alexander**


Digital unterschrieben von Teufel Alexander
CN: c=DE, st=Bayern, o=Siemens, 2.5.4.97=NTRDE-
HRB 6684, email=teufel.alexander@siemens.com,
serialNumber=Z0022V6U, givenName=Alexander,
sn=Teufel, cn=Teufel Alexander
Datum: 2026.05.08 09:55:31 +02'00'

Signature

Unterschrift / Signature

This declaration is an attestation of conformity with the indicated Directive(s) but does not imply any guarantee of quality or durability. The safety instructions of the accompanying product documentation shall be observed.

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

Cette déclaration certifie la conformité aux directives susmentionnées, mais ne constitue pas une garantie de qualité ou de durabilité. Les consignes de sécurité figurant dans la documentation fournie avec le produit doivent être respectées.

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

Product identification

Produktbezeichnung /Identificateur

Unit / Gerät / Unité

Type / Typ / Type

BFOC connector set 20 units	6GK1901-0DA20-0AA0
IE Connecting Cable SFP+/SFP+, 1 m	6GK5980-3CB00-0AA1
IE Connecting Cable SFP+/SFP+, 2 m	6GK5980-3CB00-0AA2
IE Connecting Cable SFP+/SFP+, 7 m	6GK5980-3CB00-0AA7
Power M12 Plug Pro, L-coded	6GK1906-0EA00
Power M12 Cable Connector Pro, L-coded	6GK1906-0EB00
Control Connecting Cable M12/M12, 0,5m	6XV1801-2CE50
Control Connecting Cable M12/M12, 1,0m	6XV1801-2CH10
Control Connecting Cable M12/M12, 1,5m	6XV1801-2CH15
Control Connecting Cable M12/M12, 2,0m	6XV1801-2CH20
Control Connecting Cable M12/M12, 3,0m	6XV1801-2CH30
Control Connecting Cable M12/M12, 5,0m	6XV1801-2CH50
Control Connecting Cable M12/M12, 10,0m	6XV1801-2CN10
Control Connecting Cable M12/M12, 15,0m	6XV1801-2CN15
7/8 Power T-TAP	6GK1905-0FC00
Power Connecting Cable Clean, 0,5m	6XV1801-7EE50
Power Connecting Cable Clean, 1,0m	6XV1801-7EH10
Power Connecting Cable Clean, 1,5m	6XV1801-7EH15
Power Connecting Cable Clean, 2,0m	6XV1801-7EH20
Power Connecting Cable Clean, 3,0m	6XV1801-7EH30
Power Connecting Cable Clean, 5,0m	6XV1801-7EH50
Power Connecting Cable Clean, 10m	6XV1801-7EN10
Power Connecting Cable Clean, 15m	6XV1801-7EN15
Control Connecting Cable Clean, 1,5m	6XV1878-5EH15
Control Connecting Cable Clean, 2,0m	6XV1878-5EH20
Control Connecting Cable Clean, 3,0m	6XV1878-5EH30
Control Connecting Cable Clean, 5,0m	6XV1878-5EH50
Control Connecting Cable Clean, 10m	6XV1878-5EN10

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

Control Connecting Cable Clean, 15m	6XV1878-5EN15
IE Connecting Cable Clean, 0,5m	6XV1881-5EE50
IE Connecting Cable Clean, 1,0m	6XV1881-5EH10
IE Connecting Cable Clean, 1,5m	6XV1881-5EH15
IE Connecting Cable Clean, 2,0m	6XV1881-5EH20
IE Connecting Cable Clean, 3,0m	6XV1881-5EH30
IE Connecting Cable Clean, 5,0m	6XV1881-5EH50
IE Connecting Cable Clean, 10m	6XV1881-5EN10
IE Connecting Cable Clean, 15m	6XV1881-5EN15
M12 connection plug for ET 200, male	6GK1905-0EA00
M12 connection plug for ET 200, female	6GK1905-0EB00
7/8" connection plug for ET 200	6GK1905-0FA00
7/8" connection plug for ET 200	6GK1905-0FB00
IE Power M12 Plug PRO	6GK1907-0DB10-6AA3
Power M12 Cable Connector Pro, S-coded	6GK1907-0DC00-6AA4
IE Power M12 Cable Connector PRO	6GK1907-0DC10-6AA3
Control M12 Plug PRO	6GK1908-0DB10-6AA0
Control M12 Cable Connector PRO	6GK1908-0DC10-6AA0
Signaling Contact M12 Cable Conn. PRO	6GK1908-0DC10-6AA3
MM FO LC duplex plug, 10 units	6GK1901-0RB10-2AB0
IE FC M12 Plug PRO 4x2	6GK1901-0DB30-6AA0
IE FC M12 Plug PRO 4x2	6GK1901-0DB30-6AA8
IE FC M12 Cable Connector PRO 4x 2	6GK1901-0DB40-6AA0
IE FC M12 Cable Connector PRO 4x 2	6GK1901-0DB40-6AA8
IE M12 Panel Feedthrough 4x2, 5 units	6GK1901-0DM40-2AA5
IE Adapter M12-D/M12-X (M12 D-M/M12 X-F)	6GK1901-0DE10-6AA0
IE Adapter M12-D90/M12-X90	6GK1901-0DE11-6AA0
IE Adapter M12-X/M12-D (M12 X-M/M12 D-F)	6GK1901-0DE20-6AA0
IE Adapter M12-X90/M12-D90	6GK1901-0DE21-6AA0
M12 terminating connector for ET 200	6GK1905-0EC00
M12 terminating connector for ET 200	6GK1905-0ED00

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

ROBUST Power Connecting Cable IP69, 1m	6XV1801-5AH10
ROBUST Power Connecting Cable IP69, 2m	6XV1801-5AH20
ROBUST Power Connecting Cable IP69, 3m	6XV1801-5AH30
ROBUST Power Connecting Cable IP69, 5m	6XV1801-5AH50
Power Connecting Cable 0,3m	6XV1801-5DE30
Power Connecting Cable 0,5m	6XV1801-5DE50
Power Connecting Cable 1,0m	6XV1801-5DH10
Power Connecting Cable 1,5m	6XV1801-5DH15
Power Connecting Cable 2,0m	6XV1801-5DH20
Power Connecting Cable 3,0m	6XV1801-5DH30
Power Connecting Cable 5,0m	6XV1801-5DH50
Power Connecting Cable 10m	6XV1801-5DN10
Power Connecting Cable 15m	6XV1801-5DN15
Power Connecting Cable 0,3 m	6XV1801-5GE30
Power Connecting Cable 0,5 m	6XV1801-5GE50
Power Connecting Cable 1 m	6XV1801-5GH10
Power Connecting Cable 1,5 m	6XV1801-5GH15
Power Connecting Cable 2 m	6XV1801-5GH20
Power Connecting Cable 3 m	6XV1801-5GH30
Power Connecting Cable 5 m	6XV1801-5GH50
Power Connecting Cable 10 m	6XV1801-5GN10
Power Connecting Cable 15 m	6XV1801-5GN15
7/8" plug-in cable for Power supply of the ET 200 0,3 m	6XV1822-5BE30
7/8" plug-in cable for Power supply of the ET 200 0,5 m	6XV1822-5BE50
7/8" plug-in cable for Power supply of the ET 200 1,0 m	6XV1822-5BH10
7/8" plug-in cable for Power supply of the ET 200 1,5 m	6XV1822-5BH15
7/8" plug-in cable for Power supply of the ET 200 2,0 m	6XV1822-5BH20
7/8" plug-in cable for Power supply of the ET 200 3,0 m	6XV1822-5BH30
7/8" plug-in cable for Power supply of the ET 200 5,0 m	6XV1822-5BH50
7/8" plug-in cable for Power supply of the ET 200 10 m	6XV1822-5BN10
7/8" plug-in cable for Power supply of the ET 200 15 m	6XV1822-5BN15

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

IE Connecting Cable M12-180/M12-180 0,3m	6XV1870-8AE30
IE Connecting Cable M12-180/M12-180 0,5m	6XV1870-8AE50
IE Connecting Cable M12-180/M12-180 1 m	6XV1870-8AH10
IE Connecting Cable M12-180/M12-180 1,5m	6XV1870-8AH15
IE Connecting Cable M12-180/M12-180 2 m	6XV1870-8AH20
IE Connecting Cable M12-90/M12-90, 0,3m	6XV1870-8GE30
IE Connecting Cable M12-90/M12-90, 0,5m	6XV1870-8GE50
IE Connecting Cable M12-90/M12-90, 1 m	6XV1870-8GH10
IE Connecting Cable M12-90/M12-90, 1,5m	6XV1870-8GH15
IE Connecting Cable M12-90/M12-90, 2 m	6XV1870-8GH20
IE Connecting Cable M12-90/M12-90, 3 m	6XV1870-8GH30
IE Connecting Cable M12-90/M12-90, 5 m	6XV1870-8GH50
IE Connecting Cable M12-90/M12-90, 10 m	6XV1870-8GN10
IE Connecting Cable M12-90/M12-90, 15 m	6XV1870-8GN15
IE Robust Connecting Cable M12 IP69, 1 m	6XV1881-5AH10
IE Robust Connecting Cable M12 IP69, 2 m	6XV1881-5AH20
IE Robust Connecting Cable M12 IP69, 3 m	6XV1881-5AH30
IE Robust Connecting Cable M12 IP69, 5 m	6XV1881-5AH50
IE RJ45 Port Lock	6GK1901-1BB50-0AA0
IE FC RJ45 Modular Outlet	6GK1901-1BE00-0AA3
PROFIBUS Plastic Fiber Optic, BFOC connector	6GK1905-1PA00
IE M12 Panel Feedthrough PRO, 5 units	6GK1901-0DM30-2AA5
FO BFOC Coupler	6GK1900-1GP00-0AB0
FO Standard Cable 62,5/125 2 m, 4xBFOC	6XV1820-5BH20
FO Standard Cable 62,5/125 5 m, 4xBFOC	6XV1820-5BH50
FO Standard Cable 62,5/125 10 m, 4xBFOC	6XV1820-5BN10
FO Standard Cable 62,5/125 15 m, 4xBFOC	6XV1820-5BN15
FO Standard Cable 62,5/125 20 m, 4xBFOC	6XV1820-5BN20
FO Standard Cable 62,5/125 30 m, 4xBFOC	6XV1820-5BN30
FO Standard Cable 62,5/125 40 m, 4xBFOC	6XV1820-5BN40
FO Standard Cable 62,5/125 50 m, 4xBFOC	6XV1820-5BN50

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

FO Standard Cable 62,5/125 55 m, 4xBFOC	6XV1820-5BN55
FO Standard Cable 62,5/125 60 m, 4xBFOC	6XV1820-5BN60
FO Standard Cable 62,5/125 65 m, 4xBFOC	6XV1820-5BN65
FO Standard Cable 62,5/125 70 m, 4xBFOC	6XV1820-5BN70
FO Standard Cable 62,5/125 75 m, 4xBFOC	6XV1820-5BN75
FO Standard Cable 62,5/125 80 m, 4xBFOC	6XV1820-5BN80
FO Standard Cable 62,5/125 100 m, 4xBFOC	6XV1820-5BT10
FO Standard Cable 62,5/125 120 m, 4xBFOC	6XV1820-5BT12
FO Standard Cable 62,5/125 130 m, 4xBFOC	6XV1820-5BT13
FO Standard Cable 62,5/125 150 m, 4xBFOC	6XV1820-5BT15
FO Standard Cable 62,5/125 200 m, 4xBFOC	6XV1820-5BT20
FO Standard Cable 62,5/125 250 m, 4xBFOC	6XV1820-5BT25
FO Standard Cable 62,5/125 300 m, 4xBFOC	6XV1820-5BT30
FO Flexible Cable 62,5/125 15 m, 4xBFOC	6XV1820-6BN15
FO Flexible Cable 62,5/125 20 m, 4xBFOC	6XV1820-6BN20
FO Flexible Cable 62,5/125 30 m, 4xBFOC	6XV1820-6BN30
FO Flexible Cable 62,5/125 50 m, 4xBFOC	6XV1820-6BN50
FO Flexible Cable 62,5/125 75 m, 4xBFOC	6XV1820-6BN75
FO Flexible Cable 62,5/125 100 m, 4xBFOC	6XV1820-6BT10
FO Indoor Cable 62,5/125 0,5 m, 4xBFOC	6XV1820-7BH05
FO Indoor Cable 62,5/125 1 m, 4xBFOC	6XV1820-7BH10
FO Indoor Cable 62,5/125 2 m, 4xBFOC	6XV1820-7BH20
FO Indoor Cable 62,5/125 3 m, 4xBFOC	6XV1820-7BH30
FO Indoor Cable 62,5/125 5 m, 4xBFOC	6XV1820-7BH50
FO Indoor Cable 62,5/125 10 m, 4xBFOC	6XV1820-7BN10
FO Indoor Cable 62,5/125 15 m, 4xBFOC	6XV1820-7BN15
FO Indoor Cable 62,5/125 20 m, 4xBFOC	6XV1820-7BN20
FO Indoor Cable 62,5/125 25 m, 4xBFOC	6XV1820-7BN25
FO Indoor Cable 62,5/125 50 m, 4xBFOC	6XV1820-7BN50
FO Indoor Cable 62,5/125 75 m, 4xBFOC	6XV1820-7BN75
FO Indoor Cable 62,5/125 100 m, 4xBFOC	6XV1820-7BT10

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

PROFIBUS PLASTIK FO cable 1 M	6XV1821-0BH10
PROFIBUS PLASTIK FO cable 2 M	6XV1821-0BH20
PROFIBUS PLASTIK FO cable 5 M	6XV1821-0BH50
PROFIBUS PLASTIK FO cable 15 M	6XV1821-0BN15
PROFIBUS PLASTIK FO cable 20 M	6XV1821-0BN20
PROFIBUS PLASTIK FO cable 25 M	6XV1821-0BN25
PROFIBUS PLASTIK FO cable 30 M	6XV1821-0BN30
PROFIBUS PLASTIK FO cable 50 M	6XV1821-0BN50
PROFIBUS PLASTIK FO cable 65 M	6XV1821-0BN65
PROFIBUS PLASTIK FO cable 80 M	6XV1821-0BN80
PROFIBUS PCF FO CABLE 75 M	6XV1821-1BN75
PROFIBUS PCF FO CABLE 100 M	6XV1821-1BT10
PROFIBUS PCF FO CABLE 150 M	6XV1821-1BT15
PROFIBUS PCF FO CABLE 200 M	6XV1821-1BT20
PROFIBUS PCF FO CABLE 250 M	6XV1821-1BT25
PROFIBUS PCF FO CABLE 300 M	6XV1821-1BT30
FO Standard Cable 50/125 0,5 m, 4xBFOC	6XV1873-3AH05
FO Standard Cable 50/125 1 m, 4xBFOC	6XV1873-3AH10
FO Standard Cable 50/125 2 m, 4xBFOC	6XV1873-3AH20
FO Standard Cable 50/125 3 m, 4xBFOC	6XV1873-3AH30
FO Standard Cable 50/125 5 m, 4xBFOC	6XV1873-3AH50
FO Standard Cable 50/125 10 m, 4xBFOC	6XV1873-3AN10
FO Standard Cable 50/125 15 m, 4xBFOC	6XV1873-3AN15
FO Standard Cable 50/125 20 m, 4xBFOC	6XV1873-3AN20
FO Standard Cable 50/125 30 m, 4xBFOC	6XV1873-3AN30
FO Standard Cable 50/125 40 m, 4xBFOC	6XV1873-3AN40
FO Standard Cable 50/125 50 m, 4xBFOC	6XV1873-3AN50
FO Standard Cable 50/125 80 m, 4xBFOC	6XV1873-3AN80
FO Standard Cable 50/125 100 m, 4xBFOC	6XV1873-3AT10
FO Standard Cable 50/125 150 m, 4xBFOC	6XV1873-3AT15
FO Standard Cable 50/125 200 m, 4xBFOC	6XV1873-3AT20

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

FO Standard Cable 50/125 300 m, 4xBFOC	6XV1873-3AT30
FO Trailing Cable 50/125 50 m, 4xBFOC	6XV1873-3CN50
FO Ground Cable 50/125 100 m, 4xBFOC	6XV1873-3GT10
FO Ground Cable 50/125 200 m, 4xBFOC	6XV1873-3GT20
FO Standard Cable 50/125 3 m, LC-Plug	6XV1873-5AH30
FO Standard Cable 50/125 5 m, LC-Plug	6XV1873-5AH50
FO Standard Cable 50/125 10 m, LC-Plug	6XV1873-5AN10
FO Standard Cable 50/125 15 m, LC-Plug	6XV1873-5AN15
FO Standard Cable 50/125 20 m, LC-Plug	6XV1873-5AN20
FO Standard Cable 50/125 30 m, LC-Plug	6XV1873-5AN30
FO Standard Cable 50/125 40 m, LC-Plug	6XV1873-5AN40
FO Standard Cable 50/125 50 m, LC-Plug	6XV1873-5AN50
FO Standard Cable 50/125 80 m, LC-Plug	6XV1873-5AN80
FO Standard Cable 50/125 100 m, LC-Plug	6XV1873-5AT10
FO Standard Cable 50/125 150 m, LC-Plug	6XV1873-5AT15
FO Standard Cable 50/125 200 m, LC-Plug	6XV1873-5AT20
FO Standard Cable 50/125 300 m, LC-Plug	6XV1873-5AT30
FO Trailing Cable GP 50/125 5 m	6XV1873-5CH50
FO Trailing Cable GP 50/125 10 m	6XV1873-5CN10
FO Trailing Cable GP 50/125 15 m	6XV1873-5CN15
FO Trailing Cable GP 50/125 20 m	6XV1873-5CN20
FO Standard Cable 50/125 0,5 m, 4xSC	6XV1873-6AH05
FO Standard Cable 50/125 1 m, 4xSC	6XV1873-6AH10
FO Standard Cable 50/125 3 m, 4xSC	6XV1873-6AH30
FO Standard Cable 50/125 10 m, 4xSC	6XV1873-6AN10
FO Standard Cable 50/125 15 m, 4xSC	6XV1873-6AN15
FO Standard Cable 50/125 20 m, 4xSC	6XV1873-6AN20
FO Standard Cable 50/125 30 m, 4xSC	6XV1873-6AN30
FO Standard Cable 50/125 40 m, 4xSC	6XV1873-6AN40
FO Standard Cable 50/125 50 m, 4xSC	6XV1873-6AN50
FO Standard Cable 50/125 80 m, 4xSC	6XV1873-6AN80

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

FO Standard Cable 50/125 100 m, 4xSC	6XV1873-6AT10
FO Standard Cable 50/125 150 m, 4xSC	6XV1873-6AT15
FO Standard Cable 50/125 200 m, 4xSC	6XV1873-6AT20
FO Standard Cable 50/125 300 m, 4xSC	6XV1873-6AT30
FO TRAILING CABLE GP 50/125 3 M	6XV1873-6CH30
FO TRAILING CABLE GP 50/125 5 M	6XV1873-6DH50
FO TRAILING CABLE GP 50/125 10 M	6XV1873-6DN10
FO TRAILING CABLE GP 50/125 100 M	6XV1873-6DT10
FO Ground Cable 50/125 100 m, 4xSC	6XV1873-6GT10
FO Ground Cable 50/125 200 m, 4xSC	6XV1873-6GT20
Power Connecting Cable 0,3 m, L-coded	6XV1801-6DE30
Power Connecting Cable 0,5 m, L-coded	6XV1801-6DE50
Power Connecting Cable 1,0 m, L-coded	6XV1801-6DH10
Power Connecting Cable 1,5 m, L-coded	6XV1801-6DH15
Power Connecting Cable 2,0 m, L-coded	6XV1801-6DH20
Power Connecting Cable 3,0 m, L-coded	6XV1801-6DH30
Power Connecting Cable 5,0 m, L-coded	6XV1801-6DH50
Power Connecting Cable 10,0 m, L-coded	6XV1801-6DN10
Power Connecting Cable 15,0 m, L-coded	6XV1801-6DN15
Robust Power Connecting Cable, IP69, L-coded	6XV1801-6EE50
Robust Power Connecting Cable, IP69, L-coded	6XV1801-6EH10
Robust Power Connecting Cable, IP69, L-coded	6XV1801-6EH15
Robust Power Connecting Cable, IP69, L-coded	6XV1801-6EH20
Robust Power Connecting Cable, IP69, L-coded	6XV1801-6EH30
Robust Power Connecting Cable, IP69, L-coded	6XV1801-6EH50
Robust Power Connecting Cable, IP69, L-coded	6XV1801-6EN10
Robust Power Connecting Cable, IP69, L-coded	6XV1801-6EN15
Power Connecting Cable, 0,5 m, L-coded	6XV1801-6GE50
Power Connecting Cable, 1 m, L-coded	6XV1801-6GH10
Power Connecting Cable, 1,5 m, L-coded	6XV1801-6GH15
Power Connecting Cable, 2 m, L-coded	6XV1801-6GH20

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

Power Connecting Cable, 3 m, L-coded	6XV1801-6GH30
Power Connecting Cable, 5 M, L-coded	6XV1801-6GH50
Power Connecting Cable, 10 m, L-coded	6XV1801-6GN10
Power Connecting Cable, 15 m, L-coded	6XV1801-6GN15
IE Connecting Cable M12-180/M12-180 0,5m	6XV1871-8AE50
IE Connecting Cable M12-180/M12-180 1m	6XV1871-8AH10
IE Connecting Cable M12-180/M12-180 1,5m	6XV1871-8AH15
IE Connecting Cable M12-180/M12-180 2m	6XV1871-8AH20
IE Connecting Cable M12-180/M12-180 3m	6XV1871-8AH30
IE Connecting Cable M12-180/M12-180 5m	6XV1871-8AH50
IE Connecting Cable M12-180/M12-180 10m	6XV1871-8AN10
IE Connecting Cable M12-180/M12-180 15m	6XV1871-8AN15
IE TP Cord M12-90/M12-90 (4x2, 0,5 m)	6XV1878-5GE50
IE TP Cord M12-90/M12-90 (4x2, 1 m)	6XV1878-5GH10
IE TP Cord M12-90/M12-90 (4x2, 1,5 m)	6XV1878-5GH15
IE TP Cord M12-90/M12-90 (4x2, 2 m)	6XV1878-5GH20
IE TP Cord M12-90/M12-90 (4x2, 3 m)	6XV1878-5GH30
IE TP Cord M12-90/M12-90 (4x2, 5 m)	6XV1878-5GH50
IE TP Cord M12-90/M12-90 (4x2, 10 m)	6XV1878-5GN10
IE TP Cord M12-90/M12-90 (4x2, 15 m)	6XV1878-5GN15
IE TP Cord M12-180/M12-180 (4x2, 0,3 m)	6XV1878-5HE30
IE TP Cord M12-180/M12-180 (4x2, 0,5 m)	6XV1878-5HE50
IE TP Cord M12-180/M12-180 (4x2, 1 m)	6XV1878-5HH10
IE TP Cord M12-180/M12-180 (4x2, 1,5 m)	6XV1878-5HH15
IE TP Cord M12-180/M12-180 (4x2, 2 m)	6XV1878-5HH20
IE TP Cord M12-180/M12-180 (4x2, 3 m)	6XV1878-5HH30
IE TP Cord M12-180/M12-180 (4x2, 5 m)	6XV1878-5HH50
IE TP Cord M12-180/M12-180 (4x2, 10 m)	6XV1878-5HN10
IE TP Cord M12-180/M12-180 (4x2, 15 m)	6XV1878-5HN15
IE TP Cord M12-180/M12-180 (4x2, 30 m)	6XV1878-5HN30
IE TP Cord M12-180/M12-180 (4x2, 50 m)	6XV1878-5HN50

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

IE TP Cord M12-180/M12-180 (4x2, 80 m)	6XV1878-5HN80
IE TP Cord M12-90/RJ45-180 (4x2, 0,5 m)	6XV1878-5SE50
IE TP Cord M12-90/RJ45-180 (4x2, 1 m)	6XV1878-5SH10
IE TP Cord M12-90/RJ45-180 (4x2, 1,5 m)	6XV1878-5SH15
IE TP Cord M12-90/RJ45-180 (4x2, 2 m)	6XV1878-5SH20
IE TP Cord M12-90/RJ45-180 (4x2, 3 m)	6XV1878-5SH30
IE TP Cord M12-90/RJ45-180 (4x2, 5 m)	6XV1878-5SH50
IE TP Cord M12-90/RJ45-180 (4x2, 10 m)	6XV1878-5SN10
IE TP Cord M12-90/RJ45-180 (4x2, 15 m)	6XV1878-5SN15
IE TP Cord M12-180/RJ45-180 (4x2, 0,5 m)	6XV1878-5TE50
IE TP Cord M12-180/RJ45-180 (4x2, 1 m)	6XV1878-5TH10
IE TP Cord M12-180/RJ45-180 (4x2, 1,5 m)	6XV1878-5TH15
IE TP Cord M12-180/RJ45-180 (4x2, 2 m)	6XV1878-5TH20
IE TP Cord M12-180/RJ45-180 (4x2, 3 m)	6XV1878-5TH30
IE TP Cord M12-180/RJ45-180 (4x2, 5 m)	6XV1878-5TH50
IE TP Cord M12-180/RJ45-180 (4x2, 10 m)	6XV1878-5TN10
IE TP Cord M12-180/RJ45-180 (4x2, 15 m)	6XV1878-5TN15
IE TP Cord M12-180/RJ45-180 (4x2, 30 m)	6XV1878-5TN30
IE TP Cord M12-180/RJ45-180 (4x2, 50 m)	6XV1878-5TN50
IE FC RJ45 Modular Outlet	6GK1901-1BE00-0AA2
IE Insert 2FE for modular outlet base module	6GK1901-1BK00-0AA1
IE Insert 1GE for modular outlet base module	6GK1901-1BK00-0AA2
PB FC Standard Cable 1000 m (CN)	6XV1851-5FU10
IE FC TP Standard Cable 2x2, 1000 m (CN)	6XV1861-4AU10
Robust Energy Cable, 4-core power line, sold by the meter	6XV1801-2A
Energy cable, 4-core power line, sold by the meter	6XV1801-2B
Control cable, 5-core Power line, sold by the meter	6XV1801-2C
FRNC Energy Cable 4x 1.5 power line, sold by the meter	6XV1801-2F
Energy cable, 2-wire power line, sold by the meter	6XV1812-8A
PB FC Standard Cable 50 m	6XV1830-1EN50
PB FC Standard Cable 100 m	6XV1830-1ET10

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

Energy cable, 5-core power line, sold by the meter	6XV1830-8AH10
IE FC TP Standard Cable GP 2x2, sold by the meter	6XV1840-2AH10
IE FC TP Standard Cable, 20 m	6XV1840-2AN20
IE FC TP Standard Cable, 50 m	6XV1840-2AN50
IE FC TP Standard Cable, 100 m	6XV1840-2AT10
IE FC TP Standard Cable, 200 m	6XV1840-2AT20
IE FC TP Standard Cable, 500 m	6XV1840-2AT50
IE FC TP Standard Cable GP, 1000 m	6XV1840-2AU10
IE TP Robot Cable GP2x2 (PROFINET type R)	6XV1840-2R
IE FC TP Trailing Cable 2x2, sold by the meter	6XV1840-3AH10
IE FC TP Marine Cable, sold by the meter	6XV1840-4AH10
IE FC TP Robust Standard Cable GP 2x2	6XV1841-2A
IE FC TP Robust Flexible Cable GP 2x2	6XV1841-2B
IE FC TP Flexible Cable GP 2x2, sold by the meter	6XV1870-2B
IE FC TP Flexible Cable GP 2x2, 1000 m	6XV1870-2BU10
IE FC TP Trailing Cable 2x2, sold by the meter	6XV1870-2D
IE FC TP Standard Cable 4x2, sold by the meter	6XV1870-2E
IE TP Torsion Cable 2x2, sold by the meter	6XV1870-2F
IE Hybrid Cable 2x2 + 4x0,34, sold by the meter	6XV1870-2J
FC TP FRNC Cable GP, sold by the meter	6XV1871-2F
FC TP FRNC Cable GP, 1000m	6XV1871-2FU10
IE FC TP Food Cable GP 2x2, sold by the meter	6XV1871-2L
IE Robust Ground Cable 2x2, sold by the meter	6XV1871-2N
IE FC TP Festoon Cable 2x2, sold by the meter	6XV1871-2S
IE FC TP Standard Cable GP 4x2; Cat7	6XV1876-2A
IE FC TP Flexible Cable GP 4x2, Cat7	6XV1876-2B
IE FC TP Standard Cable GP 4x2 sold by the meter	6XV1878-2A
IE FC TP Standard Cable GP 4x2, 1000m	6XV1878-2AU10
IE FC TP Flexible Cable GP 4x2 sold by the meter	6XV1878-2B
IE FC TP Trailing Cable GP 4x2, Cat6A	6XV1878-2C
IE FC TP Torsion Cable 4x2; sold by the meter	6XV1878-2D

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

IE FC TP FRNC Cable GP 4x2, Cat6A	6XV1878-2F
IE Ground Cable 4x2, sold by the meter	6XV1878-2G
IE Connecting Cable RJ45, 4x2, 2 m	6XV1878-5BH20
IE Connecting Cable RJ45, 4x2, 3 m	6XV1878-5BH30
IE Connecting Cable RJ45, 4x2, 5 m	6XV1878-5BH50
IE Connecting Cable RJ45, 4x2, 10 m	6XV1878-5BN10
IE Connecting Cable RJ45, 4x2, 15 m	6XV1878-5BN15
IE Connecting Cable RJ45, 4x2, 20 m	6XV1878-5BN20
IE Connecting Cable RJ45, 4x2, 25 m	6XV1878-5BN25
IE Connecting Cable RJ45, 4x2, 30 m	6XV1878-5BN30
IE FC TP Robust Food Cable GP 2x2	6XV1881-2A
IE Ground Cable 2x2, sold by the meter	6XV1871-2G
SM FO Robust Cable (4E9/125) sold by the meter	6XV1843-2R
MM FO Robust Cable 2G50/125 sold by the meter	6XV1873-2R
19 Module Frame 1RU	6GK1901-0AM00-0AA0
IE FC Keystone RJ45, 4x2 Cat6A	6GK1901-0BE10-0AA0
FO LC Coupler	6GK1901-0RP10-0AA0
Cu/FO Modular Outlet	6GK1901-1BE00-0AA4
PROFIBUS marine cable SIENOPYR, sold by the meter	6XV1830-0MH10
FOC SIENOPYR marine cable, sold by the meter	6XV1830-0NH10
IE FC M12 Plug PRO 2x2	6GK1901-0DB20-6AA0
IE FC M12 Plug PRO 2x2	6GK1901-0DB20-6AA8
IE FC M12 Plug Pro 4X2 (X-coded)	6GK1901-0DB50-6AA0
IE FC M12 Plug PRO 4x2	6GK1901-0DB50-6AA8
IE FC RJ45 Plug 180 2x2 (1 units)	6GK1901-1BB10-2AA0
IE FC RJ45 Plug 180 2x2 (10 units)	6GK1901-1BB10-2AB0
IE FC RJ45 Plug 180 2x2 (50 units)	6GK1901-1BB10-2AE0
IE FC RJ45 Plug 180 4x2 (1 units)	6GK1901-1BB11-2AA0
IE FC RJ45 Plug 180 4x2 (10 units)	6GK1901-1BB11-2AB0
IE FC RJ45 Plug 180 4x2 (50 units)	6GK1901-1BB11-2AE0
IE FC RJ45 Plug 180 4x2 (1 units, 10G)	6GK1901-1BB12-2AA0

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

IE FC RJ45 Plug 180 4x2 (10 units, 10G)	6GK1901-1BB12-2AB0
IE FC RJ45 Plug 180 4x2 (50 units, 10G)	6GK1901-1BB12-2AE0
IE FC RJ45 Plug 90 2x2 (1 units)	6GK1901-1BB20-2AA0
IE FC RJ45 Plug 90 2x2 (10 units)	6GK1901-1BB20-2AB0
IE FC RJ45 Plug 90 2x2 (50 units)	6GK1901-1BB20-2AE0
IE FC RJ45 Plug PRO	6GK1901-1BB20-6AA0
IE FastConnect RJ45 Plug PRO	6GK1901-1BB21-6AA0
IE FC RJ45 Plug 145 2x2 (1 units)	6GK1901-1BB30-0AA0
IE FC RJ45 Plug 145 2x2 (10 units)	6GK1901-1BB30-0AB0
IE FC RJ45 Plug 145 2x2 (50 units)	6GK1901-1BB30-0AE0
IE FC RJ45 Modular Outlet	6GK1901-1BE00-0AA0
IE FC RJ45 Modular Outlet	6GK1901-1BE00-0AA1
IE FC RJ45 Plug 180 2x2 (50 units)	6GK1901-1BK10-2AE0
IE FC Outlet RJ45	6GK1901-1FC00-0AA0
PB FC M12 Cable Connector PRO	6GK1905-0EB10
PB FC M12 Cable Connector PRO	6GK1905-0EB10-6AA0
Fiber Optic, BFOC crimping tool	6GK1905-6PB00
Fiber Optic, BFOC polishing kit	6GK1905-6PS00
MM FO CORD LC/LC	6XV1843-5EH10-0AA0
MM FO CORD BFOC/LC	6XV1843-5EH10-0AB0
MM FO Cord SC/LC	6XV1843-5EH10-0CA0
MM FO Cord SC/BFOC	6XV1843-5EH10-0CB0
MM FO Cord SC/SC	6XV1843-5EH10-0CC0
MM FO CORD BFOC/LC (62,5μ)	6XV1843-5EH11-0AB0
MM FO CORD LC/LC	6XV1843-5EH20-0AA0
MM FO CORD BFOC/LC, 2m	6XV1843-5EH20-0AB0
MM FO CORD LC/LC	6XV1843-5EH30-0AA0
MM FO CORD BFOC/LC, 3m	6XV1843-5EH30-0AB0
SM FO Cord LC/LC	6XV1843-5FH10-0AA0
SM FO Cord BFOC/LC	6XV1843-5FH10-0AB0
SM FO Cord SC/LC	6XV1843-5FH10-0CA0

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

SM FO Cord SC/BFOC	6XV1843-5FH10-0CB0
SM FO Cord SC/SC	6XV1843-5FH10-0CC0
SM FO Cord LC/LC	6XV1843-5FH20-0AA0
SM FO Cord BFOC/LC, 2m	6XV1843-5FH20-0AB0
SM FO Cord LC/LC	6XV1843-5FH30-0AA0
SM FO Cord BFOC/LC, 3m	6XV1843-5FH30-0AB0
TP Cord RJ45/RJ45 0,3 m	6XV1870-3QE30
TP Cord RJ45/RJ45 0,5 m	6XV1870-3QE50
TP Cord RJ45/RJ45 1 m	6XV1870-3QH10
TP Cord RJ45/RJ45 2 m	6XV1870-3QH20
TP Cord RJ45/RJ45 3 m	6XV1870-3QH30
TP Cord RJ45/RJ45 4 m	6XV1870-3QH40
TP Cord RJ45/RJ45 6 m	6XV1870-3QH60
TP Cord RJ45/RJ45 10 m	6XV1870-3QN10
TP Cord RJ45/RJ45 15 m	6XV1870-3QN15
TP Cord RJ45/RJ45 20 m	6XV1870-3QN20
TP Cord RJ45/RJ45 25 m	6XV1870-3QN25
TP Cord RJ45/RJ45 30 m	6XV1870-3QN30
TP Cord RJ45/RJ45 35 m	6XV1870-3QN35
TP Cord RJ45/RJ45 40 m	6XV1870-3QN40
TP Cord RJ45/RJ45 45 m	6XV1870-3QN45
TP Cord RJ45/RJ45 50 m	6XV1870-3QN50
TP XP Cord RJ45/RJ45 0,5 m	6XV1870-3RE50
TP XP Cord RJ45/RJ45 1 m	6XV1870-3RH10
TP XP Cord RJ45/RJ45 2 m	6XV1870-3RH20
TP XP Cord RJ45/RJ45 6 m	6XV1870-3RH60
TP XP Cord RJ45/RJ45 10 m	6XV1870-3RN10
TP Cord RJ45/RJ45 0,5 m blue	6XV1870-4BE50
TP Cord RJ45/RJ45 1 m blue	6XV1870-4BH10
TP Cord RJ45/RJ45 2 m blue	6XV1870-4BH20
TP Cord RJ45/RJ45 3 m blue	6XV1870-4BH30

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

TP Cord RJ45/RJ45 4 m blue	6XV1870-4BH40
TP Cord RJ45/RJ45 6 m blue	6XV1870-4BH60
TP Cord RJ45/RJ45 10 m blue	6XV1870-4BN10
TP Cord RJ45/RJ45 15 m blue	6XV1870-4BN15
TP Cord RJ45/RJ45 20 m blue	6XV1870-4BN20
TP Cord RJ45/RJ45 25 m blue	6XV1870-4BN25
TP Cord RJ45/RJ45 30 m blue	6XV1870-4BN30
TP Cord RJ45/RJ45 0,5 m yellow	6XV1870-4GE50
TP Cord RJ45/RJ45 1 m yellow	6XV1870-4GH10
TP Cord RJ45/RJ45 2 m yellow	6XV1870-4GH20
TP Cord RJ45/RJ45 3 m yellow	6XV1870-4GH30
TP Cord RJ45/RJ45 4 m yellow	6XV1870-4GH40
TP Cord RJ45/RJ45 6 m yellow	6XV1870-4GH60
TP Cord RJ45/RJ45 10 m yellow	6XV1870-4GN10
TP Cord RJ45/RJ45 15 m yellow	6XV1870-4GN15
TP Cord RJ45/RJ45 20 m yellow	6XV1870-4GN20
TP Cord RJ45/RJ45 25 m yellow	6XV1870-4GN25
TP Cord RJ45/RJ45 30 m yellow	6XV1870-4GN30
TP Cord PLUS RJ45/RJ45 0,5 m	6XV1870-4HE50
TP Cord PLUS RJ45/RJ45 1 m	6XV1870-4HH10
TP Cord PLUS RJ45/RJ45 2 m	6XV1870-4HH20
TP Cord PLUS RJ45/RJ45 3 m	6XV1870-4HH30
TP Cord PLUS RJ45/RJ45 4 m	6XV1870-4HH40
TP Cord PLUS RJ45/RJ45 6 m	6XV1870-4HH60
TP Cord PLUS RJ45/RJ45 10 m	6XV1870-4HN10
TP Cord PLUS RJ45/RJ45 15 m	6XV1870-4HN15
TP Cord RJ45/RJ45 0,5 m red	6XV1870-4RE50
TP Cord RJ45/RJ45 1 m red	6XV1870-4RH10
TP Cord RJ45/RJ45 2 m red	6XV1870-4RH20
TP Cord RJ45/RJ45 3 m red	6XV1870-4RH30
TP Cord RJ45/RJ45 4 m red	6XV1870-4RH40

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

TP Cord RJ45/RJ45 6 m red	6XV1870-4RH60
TP Cord RJ45/RJ45 10 m red	6XV1870-4RN10
TP Cord RJ45/RJ45 15 m red	6XV1870-4RN15
TP Cord RJ45/RJ45 20 m red	6XV1870-4RN20
TP Cord RJ45/RJ45 25 m red	6XV1870-4RN25
TP Cord RJ45/RJ45 30 m red	6XV1870-4RN30
TP Cord RJ45/RJ45 0,5 m grey	6XV1870-4UE50
TP Cord RJ45/RJ45 1 m grey	6XV1870-4UH10
TP Cord RJ45/RJ45 2 m grey	6XV1870-4UH20
TP Cord RJ45/RJ45 3 m grey	6XV1870-4UH30
TP Cord RJ45/RJ45 4 m grey	6XV1870-4UH40
TP Cord RJ45/RJ45 6 m grey	6XV1870-4UH60
TP Cord RJ45/RJ45 10 m grey	6XV1870-4UN10
TP Cord RJ45/RJ45 15 m grey	6XV1870-4UN15
TP Cord RJ45/RJ45 20 m grey	6XV1870-4UN20
TP Cord RJ45/RJ45 25 m grey	6XV1870-4UN25
TP Cord RJ45/RJ45 30 m grey	6XV1870-4UN30
IE Connecting Cable M12-180/M12-180 3 m	6XV1870-8AH30
IE Connecting Cable M12-180/M12-180 5 m	6XV1870-8AH50
IE Connecting Cable M12-180/M12-180 10 m	6XV1870-8AN10
IE Connecting Cable M12-180/M12-180 15 m	6XV1870-8AN15
IE Connecting Cable M12-180/M12-180 20 m	6XV1870-8AN20
IE Connecting Cable M12-180/M12-180 30 m	6XV1870-8AN30
IE Connecting Cable M12-180/M12-180 40 m	6XV1870-8AN40
IE Connecting Cable M12-180/M12-180 50 m	6XV1870-8AN50
FO Standard Cable 50/125 1,0 m, LC-Plug	6XV1873-5AH10
FO Standard Cable 50/125 2 m, LC-Plug	6XV1873-5AH20
FO ROBUST CABLE 50/125 1,0 M	6XV1873-5RH10
FO Robust Cable 50/125 2,0 m	6XV1873-5RH20
FO Robust Cable 50/125 3,0 m	6XV1873-5RH30
FO Robust Cable 50/125 10 m	6XV1873-5RN10

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

FO Robust Cable 50/125 30 m	6XV1873-5RN30
FO Robust Cable 50/125 50 m	6XV1873-5RN50
FO Robust Cable 50/125 100 m	6XV1873-5RT10
FO Robust Cable 50/125 150 m	6XV1873-5RT15
FastConnect Stripping Tool	6GK1901-1GA00
FASTCONNECT BLADE CASSETTES	6GK1901-1GB00
FastConnect Blade Cassettes	6GK1901-1GB01
FastConnect Stripping Tool	6GK1905-6AA00
FC Blade Cassettes	6GK1905-6AB00
PB BFOC Plug PCF	6GK1900-0HB00-0AC0
PB Simplex Plug PCF	6GK1900-0KB00-0AC0
FO SC Coupler	6GK1900-1LP00-0AB0
PROFIBUS PCF FO CABLE 50 M	6XV1821-1CN50
PROFIBUS PCF FO CABLE 75 M	6XV1821-1CN75
PROFIBUS PCF FO CABLE 100 M	6XV1821-1CT10
PROFIBUS PCF FO CABLE 150 M	6XV1821-1CT15
PROFIBUS PCF FO CABLE 200 M	6XV1821-1CT20

Annex A to EU Declaration of Conformity

Anhang A zur EU-Konformitätserklärung

Annexe A de la Déclaration UE de Conformité

No./ Nr./ No. A5E50284620A/010

The conformity of the product described above with the provisions of the applied Directive(s) is demonstrated by compliance with the following standards / regulations:

Die Übereinstimmung des bezeichneten Produkts mit den Vorschriften der angewandten Richtlinie(n) wird nachgewiesen durch die Einhaltung folgender Normen/ Vorschriften:

La conformité du produit décrit ci-dessus aux exigences essentielles de la (des) Directive(s) Européenne(s) appliquée(s) est démontrée par le respect des normes / règlements suivants :

Directive Richtlinie Directive	Standard/ Reference No. Norm/ Referenznummer Norme / référence
2011/65/EU RoHS	EN IEC 63000

The manufacturer declares that this product complies with the requirements of the new editions of the standards.
The changes of the new editions have been checked and do not affect this product.

Der Hersteller erklärt, dass dieses Produkt mit den Anforderungen der neuen Ausgaben der Normen übereinstimmt. Die Änderungen der neuen Ausgaben wurden überprüft und haben keine Auswirkungen auf dieses Produkt.

*Le fabricant déclare que ce produit est conforme aux exigences des nouvelles éditions des normes.
Les modifications des nouvelles éditions ont été vérifiées et n'affectent pas ce produit.*