

Specifications



Photo is representative

Eaton FT3EC4ICGS

Eaton FlexiTech, Exit 2-sided, ceiling, 30m, 4 picto. (DRLU), CG-S

General specifications

PRODUCT NAME	Eaton FlexiTech EC CBS exit sign
CATALOG NUMBER	FT3EC4ICGS
EAN	3660191813758
PRODUCT LENGTH/DEPTH	325 mm
PRODUCT HEIGHT	50 mm
PRODUCT WIDTH	200 mm
PRODUCT WEIGHT	1.2 kg
CERTIFICATIONS	CE

Applications

APPLICATION	Acc. EN 1838
MOUNTING METHOD	Ceiling surface mounting
OUTDOOR USE COMPLIANCE	False
TYPE OF INDICATOR	Single/double-sided

General specs

FUNCTION	Escape route signage
KIND OF LUMINAIRE	Exit sign luminaire
LABELLING TYPE	Insert sheet/plate
LIGHT DISTRIBUTOR	Diffuser lens/optic/panel
LUMINAIRE WITH LIMITED SURFACE TEMPERATURE, SIGN D	False
MODE	Maintained / Non-Maintained (M / NM)
PICTOGRAM INCLUDED	True

Light source specs

COLOR OF LIGHT	White
COLOR RENDERING INDEX (CRI)	80
ENERGY EFFICIENCY CLASS	A
ENERGY EFFICIENCY CLASS OF THE BUILT-IN LAMP	A++, A+, A (LED)
LAMP HOLDER	None
LAMP TYPE	LED not exchangeable
RESERVE-POLARITY PROTECTED	True
SHAPE	Rectangular
WITH LIGHT SOURCE	True

Testing systems

TESTING SYSTEM	CG technology STAR technology STAR+ technology
-----------------------	--

Electrical specs

BATTERY QUALITY	Not applicable
CONNECTION TYPE	Plug-in connection
EXPLOSION PROTECTED	False
POWER SUPPLY SYSTEM	Central (central battery)
PROTECTION CLASS	II
VOLTAGE TYPE	AC/DC

Housing specs

COLOR HOUSING	White
DEGREE OF PROTECTION	IP43
IMPACT STRENGTH	IK07
MATERIAL COVER	Plastic, transparent
MATERIAL HOUSING	Plastic
SHAPE	Rectangular

Monitoring options

MONITORING EQUIPMENT	Safety module for monitoring (central feeded system)
-----------------------------	--

Resources

TECHNICAL DATA SHEETS

[eaton-emergency-lighting-cps-exit-flexitech-ec-datasheet-en.pdf](#)

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

