













# ISOLA

Art. 90286  
SMD LED, 24W



# ISOLA

Art. 90287  
SMD LED, 24W




 02	 03	 05	 IP54	 11
 13	 24W	 18	 23	 0-14
 27	 31	 34	 40	

<p>1</p> <p>TURN OFF</p>	<p>2</p>	<p>3</p>
<p>4</p>	<p>5</p>	<p>6</p>
<p>7</p>	<p>8</p>	<p>8</p> <p>TURN ON</p>

# ISOLA

Art. 90288  
SMD LED, 24W


















 02	 03	 05	<b>IP54</b>	 11
 13	<b>24W</b>	 18	 23	 24
 27	 31	 34	 40	










<p>1</p> <p>TURN OFF</p>	<p>2</p> <p>PRESS</p>	<p>3</p>
<p>4</p> <p>C—N—W Color temperature adjustment</p>	<p>5</p>	<p>6</p>
<p>7</p>	<p>8</p>	<p>TURN ON</p>

# ISOLA

Art. 90289  
SMD LED, 24W




 02	 03	 05	 10	 11
 13	 16	 18	 23	 24
 27	 31	 34	 40	

<p>1</p>  <p>TURN OFF</p>	<p>2</p>  <p>PRESS</p>	<p>3</p> 
<p>4</p>  <p>L N</p>	<p>5</p> 	<p>6</p> 
<p>7</p> 	<p>8</p> 	<p>8</p>  <p>TURN ON</p>

# ISOLA

Art. 90290  
SMD LED, 24W



02	03	05	<b>IP54</b>	11
13	<b>24W</b>	18	23	24
27	31	34	40	

1

TURN OFF

2

PRESS

3

4

C — N — W  
Color temperature adjustment

5

Detection Area	Hold Time	Daylight Sensor
100%	300S	Disable
75%	60S	50Lux
50%	30S	10Lux
25%	5S	2Lux

1 2 3 4 5 6

6


7

8

TURN ON

# ISOLA

Art. 90292  
SMD LED, 24W



02	03	05	<b>IP54</b>	11
13	<b>24W</b>	18	23	24
27	31	34	40	

1

TURN OFF

2

PRESS

3

4

C — N — W  
Color temperature adjustment

5

Detection Area	Hold Time	Daylight Sensor
100%	300S	Disable
75%	60S	50Lux
50%	30S	10Lux
25%	5S	2Lux

6

7

8

TURN ON