



Detaily produktu

AK624E2

Consumer unit AK600, Surface mounting, 24 modules, 2 row(s), IP30, Door: Without Door, Dimensions: 453 mm x 339 mm x 99 mm



Obecné informace	
Typ:	AK624E2
Id výrobku:	2CPX032569R9999
EAN:	4011617325697
Katalogový popis:	Consumer unit AK600, Surface mounting, 24 modules, 2 row(s), IP30, Door: Without Door, Dimensions: 453 mm x 339 mm x 99 mm
Detailní popis:	Consumer unit, partly assembled, for the internal use, without door, class of protection II (double insulated), degree of protection IP30, applicable standards: EN 60670-24, Impact strength IK07, Rated operational voltage 400V AC 50/60 Hz, rated current 63 A, Glow wire resistance 750°C, Untreated, in RAL 9016, enclosure out of thermoplast, without door, in RAL 9016, door opening angle 120 degree, door hinge right or left, cable entry on top via pre-punched, on bottom via pre-punched, on side via pre-punched, rear wall pre-punched, dimensions in mm (H x W x D): 453 x 339 x 99, Space units 24, Row distance in mm: 125, covers out of Plastic, Quick sealable connection, with N/PE screw terminal, cable fastening rail integrated, Assembled with DIN-rail, device support removable
Display Name:	AK624E2

Technické údaje	
Počet řad:	2
Closure Type:	Push Button
Typ konfigurace:	Assembled with DIN-rail
Typ krytu:	Cover
Typ zapouzdření:	Consumer unit
Door Type:	Without Door
Opening Direction:	Left or Right
Accessories Available:	Ano
Jednotky místa podle DIN:	24
Typ svorky:	Screw Terminals
Impact Resistance Rating:	IK07

Electrical	
Jmenovité provozní napětí:	Maximum 400 V
Jmenovité izolační napětí (U _i):	690 V
Jmenovité impulzní výdržné napětí (U _{imp}):	6 kV
Jmenovitý proud (I _n):	63 A
Výkonová ztráta:	Δt = 30K - Enclosures 63 W

Design	
Povrchová úprava:	Untreated
Materiál pouzdra:	Plastic
Materiál:	Thermoplast
Styl krytu:	with Notch
RAL Number:	RAL 9016 - Traffic White
Barva:	Traffic white
Number of Modules:	24

Material Compliance	
Informace RoHS:	2CPC100009X0201 2CPC100022X0202
Stav RoHS:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Datum RoHS:	20250929
REACH Declaration:	2CPC100005X0201
REACH Information:	False - does not contain substances > 0.1 mass percentage
REACH Date:	20260509
Conflict Minerals Reporting Template (CMRT):	9AKK108468A3363

Kategorie WEEE:	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B:	Business To Consumer

Údaje vnějšího prostředí

Krytí:	IP30
Třída ochrany:	Isolated (Class II)

Rozměry

Šířka v počtu modulů:	12
Čistá šířka výrobku:	339 mm
Čistá výška výrobku:	453 mm
Čistá hloubka výrobku:	99 mm
Čistá hmotnost výrobku:	2.098 kg
Instalační hloubka (t ₂):	55 mm
Rozměrový diagram:	2CPC000008D0201

Engineering

Building Information Modeling – BIM:	9AKK108468A3370 9AKK108468A3371
--------------------------------------	------------------------------------

Objednací údaje

Úroveň balení 1, jednotky:	pack 1 piece
Úroveň balení 1, hrubá hmotnost:	2.182 kg

Certifikáty a prohlášení (Čísla dokumentů)

Prohlášení o shodě - CE:	2CPC100009X0201 2CPC100022X0202
--------------------------	------------------------------------

Installation

Pokyny a příručky:	2CPC140007M5601
Typ upevnění:	Surface mounting

Dokumenty ke stažení

List s údaji, technické informace:	No document needed
------------------------------------	--------------------

Externí klasifikace a standardy

ETIM 9:	EC000214 - Small distribution board
ETIM 10:	EC000214 - Small distribution board
Trída eClass:	V11.0 : 27142409
Klasifikační kód objektu:	U
Normy:	DIN 43871

Příslušenství

Identifikátor	Popis	Typ	Množství	Měrná jednotka
2CPX010997R9999	Enclosure accessories Accessories AK600, 12 modules, Plastic, Dimensions: 72 AZB2 mm x 330 mm x 2 mm		1	piece
2CPX031150R9999	Enclosure accessories UK600 / AK600 accessories, 24 modules, 2 row(s), IP40, Door: Single, Steel Sheet, Dimensions: 425 mm x 311 mm x 13 mm	AZT620	1	piece
2CPX031154R9999	Enclosure accessories UK600 / AK600 accessories, 24 modules, 2 row(s), IP20, Door: Single, Steel Sheet, Dimensions: 425 mm x 311 mm x 13 mm	AZT620V	1	piece
2CPX031158R9999	Enclosure accessories UK600 / AK600 accessories, 24 modules, 2 row(s), IP20, Door: Single, Steel Sheet, Dimensions: 425 mm x 311 mm x 13 mm	AZT620W	1	piece
2CPX031119R9999	Enclosure accessories UK600 / AK600 accessories, 24 modules, 2 row(s), Dimensions: 160 mm x 255 mm x 16 mm	UZG624	1	piece
2CPX031415R9999	Enclosure accessories UK600 / AK600 accessories, 24 modules, 2 row(s), Dimensions: 337 mm x 242 mm x 2 mm	UZM620	1	piece
2CPX031118R9999	Enclosure accessories UK600 / AK600 accessories, 12 modules, 1 row(s), Dimensions: 35 mm x 255 mm x 16 mm	UZG612	1	piece
2CPX031412R9999	Enclosure accessories UK600 / AK600 accessories, Door: Single, Dimensions: 43 mm x 59 mm x 41 mm	UZT3	1	piece
2CPX062385R9999	Consumer units accessories module blanking plate , 1 row(s), 12 modules, Plastic , Traffic white	ZA3P5	1	piece
2CPX031420R9999	Enclosure accessories UK600 / AK600 accessories, Dimensions: 38 mm x 13 mm x 40 mm	UZED1P10	1	piece
2CPX030892R9999	Enclosure accessories UK600 / AK600 accessories, Direct mounting, IP30, Dimensions: 36 mm x 42 mm x 15 mm	ZK507	1	piece
2CPX063168R9999	Enclosure accessories Screw terminals, Direct mounting, Dimensions: 27 mm x 83 mm x 21 mm	ZKS11B	1	piece
2CPX063173R9999	Enclosure accessories Screw terminals, Direct mounting, Dimensions: 27 mm x 83 mm x 21 mm	ZKS11G	1	piece
2CPX063169R9999	Enclosure accessories Screw terminals, Direct mounting, Dimensions: 27 mm x 116 mm x 21 mm	ZKS16B	1	piece
2CPX063174R9999	Enclosure accessories Screw terminals, Direct mounting, Dimensions: 27 mm x 116 mm x 21 mm	ZKS16G	1	piece
2CPX063170R9999	Enclosure accessories Screw terminals, Direct mounting, Dimensions: 27 mm x 150 mm x 21 mm	ZKS21B	1	piece
2CPX063175R9999	Enclosure accessories Screw terminals, Direct mounting, Dimensions: 27 mm x 15 mm x 21 mm	ZKS21G	1	piece
2CPX063171R9999	Enclosure accessories Screw terminals, Direct mounting, Dimensions: 27 mm x 182 mm x 21 mm	ZKS26B	1	piece

Identifikátor	Popis	Typ	Množství	Měrná jednotka
2CPX063176R9999	Enclosure accessories Screw terminals, Direct mounting, Dimensions: 27 mm x 182 mm x 21 mm	ZKS26G	1	piece
2CPX063167R9999	Enclosure accessories Screw terminals, Direct mounting, Dimensions: 27 mm x 50 mm x 21 mm	ZKS6B	1	piece
2CPX063172R9999	Enclosure accessories Screw terminals, Direct mounting, Dimensions: 27 mm x 50 mm x 21 mm	ZKS6G	1	piece

Kategorie

Produkty > Přístroje a rozváděče nízkého napětí > Rozvodnice, skříně a montážní krabice > Rozvodnice > Rozvodnice modulové > AK600

