



Foto je ilustrační

Eaton 194525

Eaton xEnergy Basic LV systems Low voltage switchgear. Surface-mount service distribution board, three-point turn-lock, DIN rails, front plate, 45-mm cutout, W=400 mm, H=1260, white

Obecné specifikace

PRODUCT NAME	Eaton xEnergy Basic small distribution board
CATALOG NUMBER	194525
EAN	9010238058347
PRODUCT LENGTH/DEPTH	262 mm
PRODUCT HEIGHT	1260 mm
PRODUCT WIDTH	400 mm
PRODUCT WEIGHT	30.1 kg
COMPLIANCES	RoHS conform
MODEL CODE	BP-O-400/12-C-W

Další informace

FEATURES	EMC-version
FUNCTIONS	Basic device Extension possible Sealable
RAL-NUMBER	9016

Ověření návrhu podle ČSN EN 61439

10.2.6 MECHANICAL IMPACT	IK08
-------------------------------------	------

Program dodání

COLOR	White
TYPE	Basic device

Technical data - mechanical

BUILT-IN HEIGHT	1275 mm
BUILT-IN WIDTH	415 mm
CLOSURE TYPE	Other
COVER/DOOR MODEL	Closed
COVER/DOOR TYPE	Door Single
ENCLOSURE MATERIAL	Steel
INTERNAL DEPTH	257.5 mm
MOUNTING METHOD	DIN-rail Surface mounted (plaster)
NUMBER OF ROWS	7
WIDTH IN NUMBER OF MODULAR SPACINGS	13
BUILT-IN DEPTH	280 mm
DEGREE OF PROTECTION	IP30

Zdroje

DECLARATIONS OF CONFORMITY	eaton-small-distribution- board-declaration-of- conformity- eu250305en.pdf
KATALOGY	eaton-distribution-boards- xenergy-basic-catalog- ca014010en-en-us.pdf
PEP ECO-PASSPORT	eaton-empty-consumer- units-pep-eato-00390- v0101-en.pdf
POZNÁMKY K PRODEJI	eaton-f3a-flange-flyer- fl019005en-en-us.pdf
VÝKRESY	eaton-low-voltage-switch- gear-dimensions-1230dim- 434.eps

NÁZEV PROJEKTU:

ČÍSLO PROJEKTU:

PŘIPRAVIL:

DATUM:



Eaton Corporation Plc. Eaton House
30 Pembroke Road
Dublin 4, Irsko
Eaton.com

© 2026 Eaton. Všechna práva vyhrazena.

Sledujte nás na sociálních sítích,
abyste získali nejnovější informace o
produktech a podpoře.

