

CEM18.10-230V-50/60Hz



Specifikace

Kód ETI	004644123
Popis	CEM18.10-230V-50/60Hz
Proud Ie AC1 (A)	32A
Proud Ie AC3, 400V (A)	18A
Jmenovité pracovní napětí (V AC)	690V
Jmenovité napětí ovládacího proudu Uc (V AC): 230	230V
Počet pólů	3
Počet pomocných NO kontaktů	1
Funkce	Motorový stykač
Skupina katalogu	CEM Motorový stykač

[Online stránka produktu](#)

Další dokumentace

[Katalog technických údajů](#)[3D model](#)[2D File](#)[Návod](#)[Prohlášení CE](#)[Eplan file](#)

Mezinárodní klasifikace ETIM

Klasifikace	EC000066
Název třídy	Power contactor, AC switching
Rated control supply voltage AC 50 Hz	230...230V
Rated control supply voltage AC 60 Hz	230...230V
Rated control supply voltage DC	230...230V
Voltage type for actuating	AC
Rated operation current I _e at AC-1, 400 V	32A
Rated operation current I _e at AC-3, 400 V	18A
Rated operation power at AC-3, 400 V	7,5kW
Modular version	Ne
Number of auxiliary contacts as normally open contact	1
Type of electrical connection of main circuit	Frame clamp
Number of normally open contacts as main contact	3

Rozměrový výkres

	AC	DC
CAEM4	A=85	A=115
CEM9	A=85	A=115
CEM12	A=85	A=115
CEM18	A=85	A=115
CEM25	A=87	A=117




Schéma zapojení

