



Figure similar

SITOR válcová pojistková vložka, 10x38 mm, 12 A, aR, jmenovité napětí AC: 600 V, jmenovité napětí DC: 700 V, DC podle UL

Verze	
Název značky produktu	SETRON
označení produktu	pojistková vložka SITOR
provedení produktu	DC podle UL
Obecné technické údaje	
provozní třída pojistkové vložky	aR
druh napětí provozního napětí	AC
napájecí napětí u DC	700 V
Rozptýlení	
ztrátový výkon [W]	3 W
ztrátový výkon [W] při jmenovité hodnotě proudu u AC za teplého provozního stavu na každý pól	3 W
Hlavní obvod	
provozní proud jmenovitá hodnota	12 A
Podrobnosti o produktu	
součást produktu úderový hlásič	Ne
Mechanická konstrukce	
Montážní poloha	libovolný, přednostně svislý
Netto hmotnost na MJ	9 g
Aprobace Certifikáty	
Environment	General Product Approval

[Environmental Con-
firmations](#)



[Environmental Con-
firmations](#)



General Product Approval

other

[Confirmation](#)



[Confirmation](#)



Další informace

Informace o balení
[Informace o balení](#)
Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NC1012>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/cz/ps/3NC1012>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NC1012

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Charakteristické křivky

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Poslední změna:

14.11.2025 

