

Heavy-duty, splash-proof extension sockets with central switch, 3 sockets 2P+E, IP44, rubber cord, H05RR-F 3x1.5mm², 5m



Marka: Orno | Symbol: OR-AE-13296/5M | Ean: 5908254847738



PRODUCT DESCRIPTION

The splash-proof heavy-duty extension sockets with on/off switch is a solid and functional device designed for safe use in demanding conditions.

The unit is equipped with 3 French-type mains sockets 2P+E which ensure safe connection of three different

devices and electrical appliances at the same time. It is designed to operate with a nominal voltage of 230V, 50Hz and a rated current of 16A and a maximum load of up to 3680W.

The sockets are equipped with safety shutters and protective covers, characteristic for the top-quality products of ORNO for PROFESSIONALS, which effectively protect against dirt and moisture. The IP44 rate means that the device may be used both indoors and outdoors.

The on/off switch provides easy power control. The device is equipped with a hook that allows to conveniently attach it in a safe place as well as holes for permanent installation at the workplace, increasing functionality and stability of the unit.

The body is rectangular and made of solid plastic. It ensures durability and resistance to mechanical damage. The cable 5 m long has a cross-section of 3x1.5 mm² and H05RR-F insulation.

The dimensions measure 101x308x89 mm.

TECHNICAL DATA

General information:

Body shape:	Prostokątny
Number of French-type (E-type) sockets:	3
Socket type:	2P+Z
Standard socket:	french (typ E)
Current path apertures:	Tak
With on/off switch:	Tak
Supply voltage [V]:	230
Frequency [Hz]:	50
Rated current [A]:	16
Max. load [W]:	3680
Number of conductors:	3
Cable cross section [mm²]:	1.5
Cable type:	H05RR-F
Insulation type:	guma
With lid:	Tak

Material:	Tworzywo sztuczne
Grade of material:	Tworzywo termoplastyczne
Surface protection:	Matowy
Color:	Czarny
Degree of protection (IP):	IP44
Power cord length [m]:	5
Angle-turned center insert:	Tak
Dimensions - width [mm]:	101
Dimensions - height [mm]:	308
Dimensions - depth [mm]:	89
Weight [kg]:	0.869