


NH00 gBat 80A/550V DC

pojistka



ETI kód:	004110216
Typ:	NH
Velikost:	NH00
Jmenovitý proud:	80 A
Charakteristika:	gBat
Indikátor:	Indikátor stavu horní pojistky
Jmenovité DC napětí:	550 V
Vypínací schopnost DC (kA):	30 kA
L/R (ms):	3 ms
Ztrátový výkon (0,7xIn) (W):	4,1 W
Ztrátový výkon (W):	9,8 W
Tavný ampérsekundový jouleový integrál (A2s):	3 100
Provozní jouleový integrál (A2s):	12 000
Normy:	IEC 60269-7
Aplikace:	Battery protection

Online stránka produktu 

Dokumenty



KATALOG TECHNICKÝCH DAT



NÁVOD K POUŽITÍ



PROHLÁŠENÍ



2D SOUBOR



3D SOUBOR



EPLAN SOUBOR

ETIM

Voltage type	DC
Fuse construction type according to IEC 60269	NH00
Power loss at rated current	9,8 W
Rated switching capacity DC	30 kA
Type of fuse status indicator	Top fuse status indicator
Rated current	80 A
Rated voltage DC	550
Utilization category	Other

Logistika

Produkt

EAN code for a single product	3838895735717
Hmotnost	200 g
Net width	29,5 mm
Net height	79,5 mm
Net depth	59,4 mm
Stock unit of measure	pcs

Základní balení

Basic packaging quantity	3 pcs
EAN code for a basic packaging	3838895735724
Basic packaging weight	0,623 kg
Basic Packaging Dimensions Height	0,065 m
Basic Packaging Dimensions Width	0,094 m
Basic Packaging Dimensions Depth	0,083 m
Basic packaging volume	0,001 m³

Přepravní balení

Transport packaging quantity	90 pcs
EAN code for a transport packaging	3838895735731
Transport packaging weight	19,052 kg
Transport Packaging Dimensions Height	0,255 m
Transport Packaging Dimensions Width	0,295 m
Transport Packaging Dimensions Depth	0,235 m
Transport packaging volume	0,018 m³
Pallet quantity	4 680 pcs
Customs tariff	85361090

Dimension

